	<u> </u>		
	Application No.	Applicant(s)	
Notice of Allowability	10/774,222	WOLOSZKO ET AL.	
	Examiner	Art Unit	
	Michael Peffley	3739	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject	pplication. If not included in will be mailed in due cou	ırse. THIS
1. This communication is responsive to <u>1/11/06</u> .			
2. The allowed claim(s) is/are <u>1-21,23-42 and 52</u> .			
 3. ☐ Acknowledgment is made of a claim for foreign priority unall All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 			
Certified copies of the priority documents have			
Copies of the certified copies of the priority documents	• • • • • • • • • • • • • • • • • • • •		from the
International Bureau (PCT Rule 17.2(a)).		Trational stage application	110111 1110
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	y complying with the require	ements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINEF reason(s) why the oath or declar	R'S AMENDMENT or NOTIcation is deficient.	ICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftspers)-948) attached	
1) hereto or 2) to Paper No./Mail Date		,	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	•	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the			ck) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note CAL MATERIAL.	the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal	Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summar	• • •	
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	ate	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		nent of Reasons for Allowa	nce
of Biological Material	9. Other		

Application/Control Number: 10/774,222 Page 2

Art Unit: 3739

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Rick Batt on September 14, 2006.

The application has been amended as follows:

Claim 26, line 1: "22" has been replaced with -24--

Claims 43-51 and 53 have been canceled.

In the specification

The following has been inserted as the first sentence of the specification: --This

application claims the benefit of US Serial Number 60/445,405 filed 02/05/2003.—

After paragraph [0025], the following has been added: --Fig. 2C illustrates an

electrosurgical probe having a temperature-indicating element according to another

embodiment of the invention.—

Paragraph [0030], line 1: "6A-E" has been changed to -6A-F--

Art Unit: 3739

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: the claims have been amended to more clearly distinguish the invention over the prior art by reciting the specific location for the temperature-indicating element. The closest prior art is the Truckai et al reference (2003/0216732) which merely discloses coating the electrode with a thermochromic material. There is no teaching or suggestion in the prior art for providing the temperature indicating material in the specific location as now recited in the claims.

It is noted that claims 4, 5, 11, 12, 16, 18, 19, 24-26, 28, 35-39 and 52 were previously withdrawn from consideration and have now been rejoined in view of the allowance of independent claims from which they depend.

The amendments to the specification are to provide a brief description for all the drawings and to include the reference to the priority application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Peffley whose telephone number is (571) 272-4770. The examiner can normally be reached on Mon-Fri from 6am-3pm.

Application/Control Number: 10/774,222

Art Unit: 3739

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examine Art Unit 3739

mp

September 14, 2006